

PROTECTIVE CLOTHING – Fire Resistant Coveralls



Arc Flash Coverall Kits – 12 Cal with Balaclava



- Coverall with Westex® UltraSoft® material (9 oz. weight)
- PureView™ faceshield technology features a greater range of visibility
- Premium anti-fog and scratch resistant coating on faceshield
- Action back allows for full range of motion
- Flexible sewn-in elastic waist
- 6-pocket style with side pass through access
- Leg openings made to fit over work boots
- Covered 2-way zipper

Kit Includes:

- 12 Cal FR Coverall with Westex® UltraSoft® material (1)
- PureView Faceshield with Hard Hat (1)
- Safety Glasses (1)
- Faceshield Bag (1)
- Gear Bag Class (1)

Compliance

- Arc Rating: 12 cal/cm²
- CAT 2
- NFPA 70E
- NFPA 2112
- CSA Z462
- ASTM F1506
- OSHA 1910.269



Coverall Size	Item No.	Pkg. Qty.
Large	1654068	1
X-Large	1654069	1
2X-Large	1654070	1

⚠ WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov



Arc Flash Coverall – 12 Cal



- Westex® UltraSoft® material (9 oz. weight)
- Dual hazard protection against arc flash and flash fire
- Covered two-way zipper front closure for easy entry
- Action back allows for full range of motion
- Elastic waistband on the back to improve mobility, fit and flexibility
- 32" leg inseam
- Two chest pockets with flaps
- Six pocket design with side pass through
- Leg openings made to fit over work boots
- All metal covered to ensure no contact with skin
- Made in the USA

Compliance

- Arc Rating: 12 cal/cm²
- CAT 2
- NFPA 70E
- NFPA 2112
- CSA Z462
- ASTM F1506
- OSHA 1910.269

Size	Item No.	Pkg. Qty.
Large	1654071	1
X-Large	1654072	1
2X-Large	1654073	1





FACE and HEAD PROTECTION – Fire Resistant

Balaclava – Ultrasoft Fire Resistant – 12 Cal

Lightweight ultra soft fire resistant balaclava features fire resistant fabric that will not melt, drip or ignite. Both lightweight and durable, this hood is made with single layer of Westex® UltraSoft® material and has a flat lock seam for comfort when worn under a hard hat.



- Westex® UltraSoft® rib material (6.5 oz. weight)
- Single layer top and bib
- Large face opening
- Durable and lightweight
- Designed for comfort when worn under a hard hat
- Made in the USA

- Compliance**
- Arc Rating: 16 cal/cm²
 - CAT 2
 - NFPA 70E
 - CSA Z462
 - ASTM F1506
 - OSHA 1910.269

Item No.	Pkg. Qty.
1654067	1

Arc Flash Fire Resistant Faceshield Kit



- Premium hover series bracket for weight compensation over hard hat
- Transparent arc flash faceshield for greater visibility
- Low profile chin cup
- Anti-fog and scratch resistant coating
- Adjustable faceshield secures in various positions
- Lightweight design
- Made in the USA



Kit Includes:

- Faceshield with chincup
- Westex® UltraSoft® balaclava
- Safety glasses
- Faceshield bag

Compliance

- Arc Rating: 12 cal/cm²
- ASTM F1506
- NFPA 70E
- ASTM F2178

Item No.	Pkg. Qty.
1654074	1

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

Arc Flash Faceshield with Hard Hat Hover Series 12 Cal



Arc flash faceshield with hard hat provides PPE Cat Level 2 protection with a 12 cal/cm² ATPV. The PureView™ faceshield delivers enhanced visibility and the slotted adapted makes this 12 cal adjustable faceshield flexible for users to set the shield in different positions. Get arc flash face protection with greater visibility and flexibility with this 12 cal adjustable arc flash faceshield.

- Polycarbonate construction
- Included adjustable hard hat
- Transparent arc flash faceshield for greater visibility
- Anti-fog and scratch resistant coating
- Made in the USA



Compliance

- Arc Rating: 12 cal/cm²
- CAT 2
- NFPA 70E
- CSA Z462
- STM F2178
- SHA 1910.269
- ANSI/ISEA Z87.1 (Impact Rating Z81+)

Item No.	Pkg. Qty.
1654066	1

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

ACCESSORIES and SAFETY MATTING



Faceshield Bag



Faceshield bag comfortably stores and protects faceshields.

- Soft cotton flannel material
- Drawstring closure
- 15.5" x 9" x 17" dimensions



Item No.	Pkg. Qty.
1654075	1

Universal Hotstick



- Use to attach different tools to universal head fitting such as voltage detectors
- Made from electrical grade fiberglass reinforced thermoset resins that surround a uni-cell foam core
- 6' pole length
- Made in the USA



Item No.	Pkg. Qty.
1654077	1

Dielectric Matting – Non-Conductive Switchboard Matting Roll



- Rubber construction
- 56" x 25 yd. roll
- Electrically tested and marked per ASTM D178
- Type II, Class 2 - Max Use Voltage 17,000V AC/25,500V DC
- Made in the USA



Compliance:

- ASTM D178

Item No.	Pkg. Qty.
1654076	1

WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

Dielectric Matting – Non-Conductive Roll Blanket



- Rubber construction
- 36" x 10 yd. roll
- Electrically tested and marked per ASTM F2320
- Type II, Class 0 - Max Use Voltage 1,000V AC/1,500V DC
- Self extinguishing
- Resistant to low temperatures (-40°F for 4 hours; -40°C for 4 hours)
- Made in the USA



Compliance:

- ASTM F2320

Item No.	Pkg. Qty.
1654078	1

NOTE: Do not fold. Blankets can be rolled or stored flat.